

# NEUROSCIENCE MARKERS



Biomarkers have been defined as biomolecules useful for indicating the onset or progression of biological processes or the effects of treatment.

Suitable biomarkers for neurological damage or disorders should be specific for neural tissue and relatively easy to measure in body fluids. Ideally, suitable neuromarkers vary with the degree of nervous system pathologies and show a high sensitivity and specificity for the prediction of short-term and/or long-term outcomes. A large number of neuroproteins is currently known and many of them are under investigation. Some of them can reflect generalized dysfunction of blood-brain barrier. At least in some cases, it can be expected that panels of biomarkers will improve diagnostic assessment.

The portfolio of neurological markers from BioVendor is continuously being expanded, enabling neurologists to investigate important molecules in emerging and rapidly growing areas of research.

## IMMUNOASSAYS

Cat. No.	Description	Assay Format	Sample Type
RS-1160.0001	<b>(Des-Gly10,D-Trp6,Pro-NHET9)-LHRH (Deslorelin)</b>	Competitive ELISA	Serum, Plasma
RS-1161.0001	<b>(Des-Gly10,D-Trp6,Pro-NHET9)-LHRH (Deslorelin)</b>	Competitive ELISA	Serum, Plasma
RS-1175.0001	<b>(Des-Gly10,D-Trp6,Pro-NHET9)-LHRH (Deslorelin)</b>	Competitive ELISA	Serum, Plasma
RD191036200R	<b>Adipocyte FABP Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma
RD291036200R	<b>Adipocyte FABP Mouse ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum
RS-1390.0001	<b>Adrenomedullin 5 (primate), High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1323.0001	<b>Alarin Human ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1424.0001	<b>Alarin Rat ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids

# NEUROSCIENCE MARKERS

Cat. No.	Description	Assay Format	Sample Type
RS-1479.0001	<b>APLP1-derived Ab-like Peptide (1-28) (APL1b28), High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1478.0001	<b>b-Casomorphin (1-5) (bovine), High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1334.0001	<b>b-Casomorphin (bovine), High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1447.0001	<b>b-Casomorphin (bovine), High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1449.0001	<b>b-Casomorphin (bovine), High Sensitivity</b>	Competitive ELISA	Biological fluids
RD192072200R	<b>GFAP Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, CSF
RD191009100	<b>Cystatin C Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Plasma, Urine, Cerebrospinal fluid
RD491009100R	<b>Cystatin C Canine ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Urine
RD291009200R	<b>Cystatin C Mouse ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum
RD391009200R	<b>Cystatin C Rat ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum
RD191309200R	<b>Ganglioside GM2 Activator Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Plasma, Serum, Urine
RD191407100R	<b>Haptoglobin Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Cerebrospinal fluid, Plasma (citrate, EDTA, heparin), Serum, Urine
RD194440200CS	<b>Matrix Metalloproteinase-2 (MMP-2) Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Plasma (EDTA)
RD193439200CS	<b>Matrix Metalloproteinase-9 (MMP-9) Human ELISA, High Sensitivity</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma
RD191227200R	<b>Nesfatin-1 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, heparin, citrate)
RS-1490.0001	<b>Nesfatin-1 (30-59) Human ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1494.0001	<b>Nesfatin-1 (30-59) Human ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1489.0001	<b>Nesfatin-1 (30-59) Mouse/Rat ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1491.0001	<b>Nesfatin-1 (30-59) Mouse/Rat ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1492.0001	<b>Nesfatin-1 (30-59) Mouse/Rat ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1306.0001	<b>Nesfatin-1 Human ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RD191276200R	<b>Neudesin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Amniotic fluid, Cerebrospinal fluid, Plasma (EDTA, Heparin), Serum
RD191326200R	<b>Neuroserpin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Cerebrospinal fluid, Serum, Plasma
RD191170200R	<b>Osteoactivin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, heparin, citrate)
RD191401200CS	<b>Parvalbumin <math>\alpha</math> Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma
RD191138300R	<b>Phosphorylated Neurofilament H Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Plasma, CSF, Tissue extract
RMEE103R	<b>Progranulin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma
RAG014R	<b>Progranulin Mouse ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Cell culture supernatant
RAG015R	<b>Progranulin Rat ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Cell culture supernatant

## NEUROSCIENCE MARKERS

Cat. No.	Description	Assay Format	Sample Type
RD191113100R	<b>Prostaglandin D Synthase (Lipocalin-type) Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Plasma, Urine, CSF
RD191215200R	<b>S100A6 Human ELISA (Multispecies specificity)</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (heparin), Urine, Bronchoalveolar lavage, Tissue extract, CSF
RD192090100R	<b>S100B Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (heparin), Cell culture medium, CSF
RD191225200R	<b>S100G Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Plasma (EDTA, citrate, heparin), Serum
RD191120200R	<b>Secretagogin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA)
RD191116200R	<b>sRAGE Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma
RD191397200CS	<b>Synuclein Gamma Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, Urine
RD191119200R	<b>VILIP-1 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, Tissue extract, CSF
RS-1183.0001	<b>VIP Human/Mouse/Rat ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1201.0001	<b>VIP Human/Mouse/Rat ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1202.0001	<b>VIP Human/Mouse/Rat ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids
RS-1471.0001	<b>VIP Human/Mouse/Rat ELISA, High Sensitivity</b>	Competitive ELISA	Biological fluids

## PROTEINS

Cat. No.	Name	Species	Type	Source
RBG10247100	<b>β-NGF</b>	Human	Recombinant	<i>E. coli</i>
RBG20106100	<b>β-NGF</b>	Murine	Recombinant	<i>E. coli</i>
RD172318100	<b>Alpha-Dystroglycan N-Terminal Domain</b>	Human	Recombinant	<i>E. coli</i>
RBG10052C100	<b>Activin A</b>	Human/Rat/Murine	Recombinant	<i>E. coli</i>
RBG10052E100	<b>Activin A</b>	Human/Rat/Murine	Recombinant	<i>E. coli</i>
RBG10053100	<b>Activin B</b>	Human	Recombinant	(BTI-Tn-5B1-4) Hi-5 Insect cells*
RBG10056100	<b>Amphiregulin</b>	Human	Recombinant	<i>E. coli</i>
RBG10086100	<b>BMP-5</b>	Human	Recombinant	Chinese Hamster Ovary Cells (CHO)
RD172249100	<b>Brain FABP</b>	Human	Recombinant	<i>E. coli</i>
RBG20059100	<b>Cardiotrophin-1</b>	Murine	Recombinant	<i>E. coli</i>
RBG10103100	<b>CDNF</b>	Human	Recombinant	<i>E. coli</i>
RBG10105100	<b>CNTF</b>	Human	Recombinant	<i>E. coli</i>
RBG30052100	<b>CNTF</b>	Rat	Recombinant	<i>E. coli</i>

# NEUROSCIENCE MARKERS

Cat. No.	Name	Species	Type	Source
RD172009100-H	<b>Cystatin C</b>	Human	Recombinant	<i>E. coli</i>
RD172009100	<b>Cystatin C</b>	Human	Native	Human urine
RD472009100	<b>Cystatin C</b>	Canine	Recombinant	<i>E. coli</i>
RD272009100	<b>Cystatin C</b>	Mouse	Recombinant	<i>E. coli</i>
RD372009100	<b>Cystatin C</b>	Rat	Recombinant	<i>E. coli</i>
RBG10112100	<b>DKK-1</b>	Human	Recombinant	HEK293
RBG101150100	<b>EGF</b>	Human	Recombinant	<i>E. coli</i>
RBG200630100	<b>EGF</b>	Murine	Recombinant	<i>E. coli</i>
RBG30053100	<b>EGF</b>	Rat	Recombinant	<i>E. coli</i>
RBG10116100	<b>EGF Receptor (EGFR)</b>	Human	Recombinant	Chinese Hamster Ovary Cells (CHO)
RBG10132100	<b>FGF-acidic</b>	Human	Recombinant	<i>E. coli</i>
RBG20067100	<b>FGF-acidic</b>	Murine	Recombinant	<i>E. coli</i>
RBG30054100	<b>FGF-acidic</b>	Rat	Recombinant	<i>E. coli</i>
RBG10133100	<b>FGF-basic</b>	Human	Recombinant	<i>E. coli</i>
RBG20068100	<b>FGF-basic</b>	Murine	Recombinant	<i>E. coli</i>
RBG30055100	<b>FGF-basic</b>	Rat	Recombinant	<i>E. coli</i>
RBG10165100	<b>GDNF</b>	Human	Recombinant	<i>E. coli</i>
RBG20074100	<b>GDNF</b>	Murine	Recombinant	<i>E. coli</i>
RBG30057100	<b>GDNF</b>	Rat	Recombinant	<i>E. coli</i>
RBG10168100	<b>GMF-<math>\beta</math></b>	Human	Recombinant	<i>E. coli</i>
RBG30059100	<b>GRO/KC</b>	Rat	Recombinant	<i>E. coli</i>
RBG10170100	<b>GRO/MGSA</b>	Human	Recombinant	<i>E. coli</i>
RBG10171100	<b>GRO-<math>\beta</math></b>	Human	Recombinant	<i>E. coli</i>
RBG30060100	<b>GRO-<math>\beta</math>/MIP-2</b>	Rat	Recombinant	<i>E. coli</i>
RBG10172100	<b>GRO-<math>\gamma</math></b>	Human	Recombinant	<i>E. coli</i>
RBG20102100	<b>GRO-<math>\gamma</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG10179100	<b>I-309</b>	Human	Recombinant	<i>E. coli</i>
RBG10181100	<b>IFN-<math>\beta</math></b>	Human	Recombinant	Chinese Hamster Ovary Cells (CHO)
RBG10182100	<b>IFN-<math>\gamma</math></b>	Human	Recombinant	<i>E. coli</i>
RBG20078100	<b>IFN-<math>\gamma</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG30061100	<b>IFN-<math>\gamma</math></b>	Rat	Recombinant	<i>E. coli</i>

# NEUROSCIENCE MARKERS

Cat. No.	Name	Species	Type	Source
RBG10001RA100	<b>IL-1Ra</b>	Human	Recombinant	<i>E. coli</i>
RBG10001A100	<b>IL-1<math>\alpha</math></b>	Human	Recombinant	<i>E. coli</i>
RBG20001A100	<b>IL-1<math>\alpha</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG30001A100	<b>IL-1<math>\alpha</math></b>	Rat	Recombinant	<i>E. coli</i>
RBG10001B100	<b>IL-1<math>\beta</math></b>	Human	Recombinant	<i>E. coli</i>
RBG20001B100	<b>IL-1<math>\beta</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG30001B100	<b>IL-1<math>\beta</math></b>	Rat	Recombinant	<i>E. coli</i>
RBG10036RA100	<b>IL-36RA</b>	Human	Recombinant	<i>E. coli</i>
RBG10036B100	<b>IL-36<math>\beta</math></b>	Human	Recombinant	<i>E. coli</i>
RBG10036G100	<b>IL-36<math>\gamma</math></b>	Human	Recombinant	<i>E. coli</i>
RBG10195100	<b>INSL5/INSL7 Hybrid</b>	Human	Recombinant	<i>E. coli</i>
RBG20083100	<b>JE/MCP-1</b>	Murine	Recombinant	<i>E. coli</i>
RBG20084100	<b>KC</b>	Murine	Recombinant	<i>E. coli</i>
RBG10209100	<b>MANF</b>	Human	Recombinant	<i>E. coli</i>
RBG10213100	<b>MCP-2</b>	Human	Recombinant	<i>E. coli</i>
RBG20092100	<b>MCP-2</b>	Murine	Recombinant	<i>E. coli</i>
RBG10214100	<b>MCP-3</b>	Human	Recombinant	<i>E. coli</i>
RBG20093100	<b>MCP-3</b>	Murine	Recombinant	<i>E. coli</i>
RBG10215100	<b>MCP-4</b>	Human	Recombinant	<i>E. coli</i>
RBG20094100	<b>MCP-5</b>	Murine	Recombinant	<i>E. coli</i>
RBG10224100	<b>MIP-1<math>\alpha</math></b>	Human	Recombinant	<i>E. coli</i>
RBG20099100	<b>MIP-1<math>\alpha</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG30066100	<b>MIP-1<math>\alpha</math></b>	Rat	Recombinant	<i>E. coli</i>
RBG10225100	<b>MIP-1<math>\beta</math></b>	Human	Recombinant	<i>E. coli</i>
RBG20100100	<b>MIP-1<math>\beta</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG30067100	<b>MIP-1<math>\beta</math></b>	Rat	Recombinant	<i>E. coli</i>
RD172250100	<b>Myelin FABP</b>	Human	Recombinant	<i>E. coli</i>
RD172227100	<b>Nesfatin-1</b>	Human	Recombinant	<i>E. coli</i>
RD172276100	<b>Neudesin</b>	Human	Recombinant	<i>E. coli</i>
RD172358100	<b>Neuritin</b>	Human	Recombinant	<i>E. coli</i>
RD172043100	<b>Neuroglobin</b>	Human	Recombinant	<i>E. coli</i>

# NEUROSCIENCE MARKERS

Cat. No.	Name	Species	Type	Source
RD172043025	<b>Neuroglobin</b>	Human	Recombinant	<i>E. coli</i>
RBG10248100	<b>NNT-1/BCSF-3</b>	Human	Recombinant	<i>E. coli</i>
RBG10252100	<b>NT-3</b>	Human	Recombinant	<i>E. coli</i>
RBG10253100	<b>NT-4</b>	Human	Recombinant	<i>E. coli</i>
RD172238100	<b>Oncomodulin-1</b>	Human	Recombinant	<i>E. coli</i>
RD172170100	<b>Osteoactivin/GPNMB</b>	Human	Recombinant	HEK293
RBG10256100	<b>Osteopontin</b>	Human	Recombinant	HEK293
RBG10265100	<b>PDGF-AA</b>	Human	Recombinant	<i>E. coli</i>
RBG20108100	<b>PDGF-AA</b>	Murine	Recombinant	<i>E. coli</i>
RBG10266100	<b>PDGF-AB</b>	Human	Recombinant	<i>E. coli</i>
RBG10267100	<b>PDGF-BB</b>	Human	Recombinant	<i>E. coli</i>
RBG20109100	<b>PDGF-BB</b>	Murine	Recombinant	<i>E. coli</i>
RBG10268100	<b>PDGF-CC</b>	Human	Recombinant	<i>E. coli</i>
RBG10271100	<b>Persephin</b>	Human	Recombinant	<i>E. coli</i>
RBG20110100	<b>Persephin</b>	Murine	Recombinant	<i>E. coli</i>
RD172113100	<b>Prostaglandin D Synthase (Lipocalin-type)</b>	Human	Recombinant	<i>E. coli</i>
RBG10285100	<b>RANTES</b>	Human	Recombinant	<i>E. coli</i>
RBG20114100	<b>RANTES</b>	Murine	Recombinant	<i>E. coli</i>
RBG30071100	<b>RANTES</b>	Rat	Recombinant	<i>E. coli</i>
RD172257100	<b>Regucalcin</b>	Human	Recombinant	<i>E. coli</i>
RBG10287100	<b>Relaxin-3</b>	Human	Recombinant	<i>E. coli</i>
RBG10280100	<b>R-Spondin-1</b>	Human	Recombinant	Chinese Hamster Ovary Cells (CHO)
RD172208025	<b>S100A1</b>	Human	Recombinant	<i>E. coli</i>
RD172208100	<b>S100A1</b>	Human	Recombinant	<i>E. coli</i>
RD172215100	<b>S100A6</b>	Human	Recombinant	<i>E. coli</i>
RD172225100	<b>S100G</b>	Human	Recombinant	<i>E. coli</i>
RBG20120100	<b>SDF-1<math>\alpha</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG30074100	<b>SDF-1<math>\alpha</math></b>	Rat	Recombinant	<i>E. coli</i>
RBG10295100	<b>SDF-1<math>\beta</math></b>	Human	Recombinant	<i>E. coli</i>
RBG20121100	<b>SDF-1<math>\beta</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG30075100	<b>SDF-1<math>\beta</math></b>	Rat	Recombinant	<i>E. coli</i>

## NEUROSCIENCE MARKERS

Cat. No.	Name	Species	Type	Source
RD172120100	<b>Secretagogin</b>	Human	Recombinant	<i>E. coli</i>
RD372120100	<b>Secretagogin</b>	Rat	Recombinant	<i>E. coli</i>
RBG10296100	<b>Semaphorin 3A</b>	Human	Recombinant	Chinese Hamster Ovary Cells (CHO)
RBG10002SRA100	<b>sIL-2R<math>\alpha</math></b>	Human	Recombinant	(BTI-Tn-5B1-4) Hi-5 Insect cells*
RBG10004SRA100	<b>sIL-4R<math>\alpha</math></b>	Human	Recombinant	HEK293
RBG10297100	<b>Slit2-N</b>	Human	Recombinant	HEK293
RD172116025-HEK	<b>Soluble Advanced Glycation End Product-Specific Receptor</b>	Human	Recombinant	HEK293
RD172116100	<b>sRAGE</b>	Human	Recombinant	<i>E. coli</i>
RD172116100-HEK	<b>sRAGE</b>	Human	Recombinant	HEK293
RBG10327100	<b>sTNF Receptor Type I</b>	Human	Recombinant	<i>E. coli</i>
RBG10328100	<b>sTNF Receptor Type II</b>	Human	Recombinant	<i>E. coli</i>
RBG10325100	<b>TNF-<math>\alpha</math></b>	Human	Recombinant	<i>E. coli</i>
RBG20124100	<b>TNF-<math>\alpha</math></b>	Murine	Recombinant	<i>E. coli</i>
RBG30076100	<b>TNF-<math>\alpha</math></b>	Rat	Recombinant	<i>E. coli</i>
RBG10326100	<b>TNF-<math>\beta</math></b>	Human	Recombinant	<i>E. coli</i>
RD172310100	<b>Tubulin Polymerization-Promoting Protein</b>	Human	Recombinant	<i>E. coli</i>
RD172119100	<b>VILIP-1</b>	Human	Recombinant	<i>E. coli</i>

## ANTIBODIES

Cat. No.	Description	Spec. React.	Type	Antigen
RD181009100	<b>Cystatin C</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184009100	<b>Cystatin C</b>	Human	Sheep PAb	<i>E. coli</i>
RD181009220	<b>Cystatin C</b>	Human	Rabbit PAb	Human urine
RD184009220	<b>Cystatin C</b>	Human	Sheep PAb	Human urine
RD481009100	<b>Cystatin C</b>	Canine	Rabbit PAb	<i>E. coli</i>
RD484009100	<b>Cystatin C</b>	Canine	Sheep PAb	<i>E. coli</i>
RD281009100	<b>Cystatin C</b>	Mouse	Rabbit PAb	<i>E. coli</i>
RD284009100	<b>Cystatin C</b>	Mouse	Sheep PAb	<i>E. coli</i>
RD384009100	<b>Cystatin C</b>	Rat	Sheep PAb	<i>E. coli</i>

# NEUROSCIENCE MARKERS

Cat. No.	Description	Spec. React.	Type	Antigen
RD184227100	<b>Nesfatin-1</b>	Human	Sheep PAb	<i>E. coli</i>
RD181043050	<b>Neuroglobin</b>	Human	Chicken PAb	<i>E. coli</i>
RD182043100-C8	<b>Neuroglobin</b>	Human	Mouse MAb, Clone 13C8	<i>E. coli</i>
RD181170100	<b>Osteoactivin/GPNMB</b>	Human	Rabbit PAb	HEK293
RD184170100	<b>Osteoactivin/GPNMB</b>	Human	Sheep PAb	HEK293
RD181113100	<b>Prostaglandin D Synthase (Lipocalin-type)</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184113100	<b>Prostaglandin D Synthase (Lipocalin-type)</b>	Human	Sheep PAb	<i>E. coli</i>
RD181215100	<b>S100A6</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184215100	<b>S100A6</b>	Human	Sheep PAb	<i>E. coli</i>
RD181221100	<b>S100A12</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184225100	<b>S100G</b>	Human	Sheep PAb	<i>E. coli</i>
RD184221100	<b>S100A12</b>	Human	Sheep PAb	<i>E. coli</i>

## › Contact Information



**BioVendor – Laboratorní medicína a.s.**  
 Karasek 1767/1, 621 00 Brno, Czech Republic  
 Phone: +420 549 124 185, Fax: +420 549 211 460  
 E-mail: info@biovendor.com

**BioVendor GesmbH**  
 Nußdorfer Straße 20/10, 1090 Vienna, Austria  
 Phone: +43-1-89090-25, Fax: +43-1-89090-2515  
 E-mail: infoAustria@biovendor.com

**BioVendor GmbH**  
 Otto-Hahn-Straße 16, D-34123 Kassel, Germany  
 Phone: +49-6221-433-9100, Fax: +49-6221-433-9111  
 E-mail: infoEU@biovendor.com

**BioVendor, LLC**  
 128 Bingham Rd., Suite 1300, Asheville, NC 28806, USA  
 Phone: +1-800-404-7807, Phone: +1-828-575-9250  
 Fax: +1-828-575-9251, E-mail: infoUSA@biovendor.com

› [www.biovendor.com](http://www.biovendor.com)



**BioMedical Specimen Bank**  
 Karasek 1767/1, 621 00 Brno, Czech Republic  
 Phone: +420 549 124 185, Fax: +420 549 211 460  
 E-mail: info@biomedicalsSpecimenbank.com

› [www.biomedicalsSpecimenbank.com](http://www.biomedicalsSpecimenbank.com)