

# CARDIOVASCULAR DISEASE

## IMMUNOASSAYS

Cat. No.	Description	Assay Format	Sample Type	Assay Range
RD191410200R	<b>6-Phosphogluconate Dehydrogenase Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Cerebrospinal fluid, Plasma (EDTA, citrate, heparin), Serum, Urine	0.25 - 16 ng/ml
REA212/96R	<b>ADMA Fast ELISA</b>	Competitive ELISA, Immobilized antigen	Serum, Plasma (EDTA)	0.2 - 3.0 µmol/l
REA201/96	<b>ADMA ELISA</b>	Competitive ELISA, Immobilized antigen	Serum, Plasma (EDTA)	0.1 - 5 µmol/l
REA209/96R	<b>ADMA ELISA, High Sensitivity</b>	Competitive ELISA, Immobilized antigen	Serum, Plasma (EDTA, heparin), Cell culture medium	
RD191204200R	<b>Allograft Inflammatory Factor 1 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, Citrate)	31.3 - 1000 pg/ml
RD192406200R	<b>Aminoacylase-1 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (citrate, heparin), Urine	0.94 - 30 ng/ml
RSHAKHB48R	<b>Apo B-48 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (heparin, EDTA)	2.5 - 160 ng/ml
RD191328200R	<b>Apoptosis Inhibitor of Macrophage Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (heparin)	0.16 - 10 ng/ml
RA19002R	<b>Atriopeptin Rat ELISA</b>		Plasma, Cardia Tissue	16 - 2000 pg/ml
RD192026200CS	<b>Cardiotrophin-1 Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Plasma (EDTA)	5 pg/ml - 1 ng/ml
RAF006R	<b>Caspase-8 Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Cell culture supernatant, Cell lysate	0.16 - 10 ng/ml
RA05482.96R	<b>CGRP Rat ELISA kit</b>	Sandwich ELISA, AChE-labelled antibody	Serum, Cerebrospinal fluid, Plasma, Cell culture supernatant, Nervous tissue	4 - 500 pg/ml
RD191394200R	<b>Collagen Triple Helix Repeat-Containing Protein 1</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, heparin, citrate), Tissue extract	78 - 2500 pg/ml

# CARDIOVASCULAR DISEASE

Cat. No.	Description	Assay Format	Sample Type	Assay Range
RA019482R	<b>CRGP Affinity Sorbent</b>			
RD191180200R	<b>CTRP9 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, citrate, heparin)	25 – 800 pg/ml
RD191329200R	<b>Cyclophilin A Human ELISA</b>	Direct ELISA, Biotin-labelled antibody	Serum, Plasma	0.39 – 25 ng/ml
RD193324200R	<b>Decorin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, citrate, heparin)	0.125 – 4 ng/ml
RD191060200R	<b>Epidermal FABP Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, citrate, heparin), Urine, Milk, Tissue extract, Tissue culture medium	0.5 – 40 ng/ml
RD191037100	<b>Fetuin-A (AHSG) Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Plasma (EDTA, citrate, heparin)	2 – 100 ng/ml
RD191135200R	<b>GDF-15/MIC-1 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma	70 – 4480 pg/ml
RD191230200R	<b>Glucose-Regulated Protein 78 Human ELISA</b>	Direct ELISA, Biotin-labelled antibody	Serum, Plasma	0.78 – 50 ng/ml
RD191407100R	<b>Haptoglobin Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Cerebrospinal fluid, Plasma (citrate, EDTA, heparin), Serum, Urine	3.13 – 200 ng/ml
REA205/96R	<b>Homoarginine ELISA</b>	Competitive ELISA	Serum, Plasma (EDTA, citrate, heparin)	31.25 – 2000 pg/ml
RAF064R	<b>Interleukin-33 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (citrate, heparin), Cell culture supernatant	4.0 – 250 pg/ml
RD191436200R	<b>Kallistatin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Amniotic fluid, Bronchoalveolar lavage, Cerebrospinal fluid, Milk, Plasma (EDTA, citrate, heparin), Serum, Urine	0.25 – 16 ng/ml
RD191122200R	<b>Lecithin-Cholesterol Acyltransferase Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, citrate), CSF	2.5 – 160 ng/ml
RHK324R	<b>MPO Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Plasma, Cell culture medium, Sputum	0.4 – 100 ng/ml
RD191446200R	<b>Osteopontin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Cerebrospinal fluid, Milk, Serum, Plasma, Urine	0.25 – 16 ng/ml
RD191279200R	<b>Paraoxonase 1 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (citrate)	1.25 – 80 ng/ml
RD191477200R	<b>Pentraxin 3 Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Saliva, Stool, Plasma	78 – 5000 pg/ml
RAG019R	<b>Periostin Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Plasma, Cell culture supernatant	78 – 5000 pg/ml
RAG020R	<b>Periostin Mouse ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Plasma, Cell culture supernatant	31 – 2000 pg/ml
RD194169200R	<b>Active Renin Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Amniotic fluid, Plasma (EDTA, citrate, heparin), Serum, Urine	4.5 – 144 $\mu$ IU/ml
RDS004R	<b>Renin Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Plasma (EDTA)	0 – 270 pg/ml
RD191048200R	<b>S100P Human ELISA</b>	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, heparin, citrate)	0.0625 – 2.0 ng/ml
RAF093R	<b>sCD40L Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Plasma, Cell culture supernatant (only high levels)	0.16 – 10 ng/ml
RAF094R	<b>sCD40L Mouse ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Cell culture supernatant	0.31 – 20 ng/ml
RLF-EK0128R	<b>Troponin I Human ELISA</b>	Sandwich ELISA, HRP-labelled antibody	Serum, Plasma, Cell lysate	0 – 25 ng/ml

# CARDIOVASCULAR DISEASE

## PROTEINS

Cat. No.	Description	Species	Type	Source
RD172410100	<b>6-phosphogluconate dehydrogenase, decarboxylating</b>	Human	Recombinant	<i>E. coli</i>
RD172204100	<b>Allograft Inflammatory Factor 1</b>	Human	Recombinant	<i>E. coli</i>
RD172406100	<b>Aminoacylase-1</b>	Human	Recombinant	<i>E. coli</i>
RD172026100	<b>Cardiotrophin-1</b>	Human	Recombinant	<i>E. coli</i>
RD172180100	<b>CTRP9A</b>	Human	Recombinant	<i>E. coli</i>
RD172329100	<b>Cyclophilin A</b>	Human	Recombinant	<i>E. coli</i>
RD272455100	<b>Cyclophilin A</b>	Mouse	Recombinant	<i>E. coli</i>
RD372454100	<b>Cyclophilin A</b>	Rat	Recombinant	<i>E. coli</i>
RD172173100	<b>Endothelial Lipase</b>	Human	Recombinant	HEK293
RD172060100	<b>Epidermal Fatty Acid Binding Protein</b>	Human	Recombinant	<i>E. coli</i>
RD172037100	<b>Fetuin-A (AHSG) NATIVE</b>	Human	Native	Human plasma
RD172393100	<b>FGF-18</b>	Human	Recombinant	<i>E. coli</i>
RD172203100	<b>Interleukin-33</b>	Human	Recombinant	<i>E. coli</i>
RD172122100	<b>Lecithin-Cholesterol Acyltransferase</b>	Human	Recombinant	<i>E. coli</i>
RD172122100-HEK	<b>Lecithin-Cholesterol Acyltransferase</b>	Human	Recombinant	HEK293
RD172485100	<b>Natriuretic Peptides A</b>	Human	Recombinant	<i>E. coli</i>
RD172486100	<b>Natriuretic Peptides B</b>	Human	Recombinant	<i>E. coli</i>
RD172528100	<b>NOV</b>	Human	Recombinant	HEK293
RD172045100	<b>Osteoblast Specific Factor 2</b>	Human	Recombinant	<i>E. coli</i>
RD172045025	<b>Osteoblast Specific Factor 2</b>	Human	Recombinant	<i>E. coli</i>
RD172446100	<b>Osteopontin</b>	Human	Recombinant	HEK293
RD172279100	<b>Paraoxonase 1</b>	Human	Recombinant	<i>E. coli</i>
RD172316100	<b>Peptidoglycan Recognition Protein 1</b>	Human	Recombinant	<i>E. coli</i>
RD172167100-HEK	<b>Renin</b>	Human	Recombinant	HEK293
RD172264100	<b>Renin Receptor</b>	Human	Recombinant	<i>E. coli</i>
RD172208025	<b>S100A1</b>	Human	Recombinant	<i>E. coli</i>
RD172208100	<b>S100A1</b>	Human	Recombinant	<i>E. coli</i>
RD172211100	<b>S100A4</b>	Human	Recombinant	<i>E. coli</i>
RD172219100	<b>S100A10</b>	Human	Recombinant	<i>E. coli</i>
RD172220100	<b>S100A11</b>	Human	Recombinant	<i>E. coli</i>
RD172222100	<b>S100A13</b>	Human	Recombinant	<i>E. coli</i>
RD172225100	<b>S100G</b>	Human	Recombinant	<i>E. coli</i>
RD172416100	<b>Ubiquitin Carboxyl-Terminal Hydrolase Isozyme L1</b>	Human	Recombinant	<i>E. coli</i>

# CARDIOVASCULAR DISEASE

## ANTIBODIES

Cat. No.	Description	Spec. React.	Type	Antigen
RD184204100	<b>Allograft Inflammatory Factor 1</b>	Human	Sheep PAb	<i>E. coli</i>
RD184328100	<b>Apoptosis Inhibitor of Macrophage</b>	Human	Sheep PAb	<i>E. coli</i>
RD1820261001F3	<b>Cardiotrophin-1</b>	Human	Mouse MAb, Clone 1F3	<i>E. coli</i>
RD182026100-01	<b>Cardiotrophin-1</b>	Human	Mouse MAb, Clone 3G6D9	<i>E. coli</i>
RD181026100	<b>Cardiotrophin-1</b>	Human	Rabbit PAb	<i>E. coli</i>
RD181060100	<b>Epidermal Fatty Acid Binding Protein</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184060100	<b>Epidermal Fatty Acid Binding Protein</b>	Human	Sheep PAb	<i>E. coli</i>
RD184036100	<b>Fetuin-A (AHSG)</b>	Human	Goat PAb	Human serum
RD181036100	<b>Fetuin-A (AHSG)</b>	Human	Rabbit PAb	Human serum
RD181203100	<b>Interleukin-33</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184203100	<b>Interleukin-33</b>	Human	Sheep PAb	<i>E. coli</i>
RD181057050	<b>Myosin (Cardiac) Light Chain</b>	Human	Rabbit PAb	<i>E. coli</i>
RD181045050	<b>Osteoblast Specific Factor 2</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184045100	<b>Osteoblast Specific Factor 2</b>	Human	Sheep PAb	<i>E. coli</i>
RD184219100	<b>S100A10</b>	Human	Sheep PAb	<i>E. coli</i>
RD184220100	<b>S100A11</b>	Human	Sheep PAb	<i>E. coli</i>
RD184222100	<b>S100A13</b>	Human	Sheep PAb	<i>E. coli</i>
RD184225100	<b>S100G</b>	Human	Sheep PAb	<i>E. coli</i>

Supplied by:

**Oxford  
BioSystems**



Tel: +44(0)1235 431390

sales@oxfordbiosystems.com

www.oxfordbiosystems.com

### › Contact Information



#### **BioVendor – Laboratorní medicína a.s.**

Karasek 1767/1, 621 00 Brno, Czech Republic  
Phone: +420 549 124 185, Fax: +420 549 211 460  
E-mail: info@biovendor.com

#### **BioVendor GmbH**

Otto-Hahn-Straße 16, 34123 Kassel, Germany  
Phone: +49 6221 4339 100, Fax: +49 6221 4339 111  
E-mail: infoEU@biovendor.com

› [www.biovendor.com](http://www.biovendor.com)

#### **BioVendor GesmbH**

Gaudenzdorfer Gürtel 43-45, 1120 Vienna, Austria  
Phone: +43 1 890 9025, Fax: +43 1 890 5163  
E-mail: infoAustria@biovendor.com

#### **BioVendor, LLC**

128 Bingham Rd., Suite 1300, Asheville, NC 28806, USA  
Phone: +1-800-404-7807, Phone: +1-828-575-9250  
Fax: +1-828-575-9251, E-mail: infoUSA@biovendor.com

Date of issue June 2017